



SIX YEAR WARRANTY



AN-30 Speaker

Features

Reach Crowds of 50+

Delivers 109 dB of Clear Sound

Built-in bracket Mount for Wall or Ceiling

Lightweight at Under 2 pounds

2 Line In Jacks: 1/4" & 3.5 mm Line Input for Audio Source

Line Out Jack: 3.5 mm "Daisy Chain" Multiple AN-30 Units

4.5" Neodymium Woofer & 30W Amplifier

Choice of colors: Black, Blue, Yellow, Red or Clear

The AN-30 speaker is the smallest system in the Anchor Audio line of products and offers a lot of sound in such a small cube. With 30 watts of rated power output, the AN-30 can cover a typical sized conference room or classroom with ease. The AN-30 is so lightweight at under two pounds that it mounts to a wall or ceiling bracket quite effortlessly. Combine an AN-30 with a projector in a classroom for the perfect audio visual solution.

AN-30 MODELS


AN-30	AC powered speaker monitor
AN-30CP	AN-30 powered speaker & SB-30 bracket

ACCESSORIES

SB-30	Wall or ceiling mounting bracket
SS-300	Speaker stand
MINI-15ST	Stereo mini-plug cable: 15"
AC-30	AC adapter

Technical Specifications

Rated Power Output	30 Watts
Max SPL @ Rated Power	109 dB @ 1 meter
Frequency Response	100Hz - 15KHz ±3dB
Speaker Type	4.5" Neodymium woofer
Line Out Jack	line level, 3.5 mm - stereo
Line In Jack	line level, 3.5 mm - stereo
	1/4" phone - mono
DC Input Jack	12 - 24 V, 2A Min
Dimensions (HWD)	5.5 x 5.5 x 6.5" / 14 x 14 x 16.5 cm
Weight	1.5 pounds / 0.68 Kg



(AN-30 Control Panel)



