



# TeleTouch 22" HD Touch-Screen LCD Monitor with

# Base

TeleTouch 22" HD Touch-Screen LCD Monitor with Base



## Choose options for pricing

Touch screen LCD monitor with base. Works in conjunction with the ProductionVIEW HD MV and ProductionVIEW HD-SDI MV's built-in multiviewer.

### Key Features:

- 1080p/60 and 1080p/50 input resolutions
- 22-inch diagonal resistive touch screen surface
- DVI and RS-232 cables included
- World wide power cord set included (North America, Euro & UK)

### Select Options

Clear Options

Color

### Your Product Selection

Price \_\_\_\_.

SKU

#### Features

#### Specifications

Color	Black
Certifications	CE Approved, FCC Approved
Product Width	20.1" (51.05 cm)
Product Height	13.3" (33.78 cm)
Product Depth	2.4" (6.10 cm)

Product Weight	13.4 lbs (6.08 kg)
Power Type	Local Power
Output Ports	DVI D
Control Method	Touch Screen
OneLINK Compatibility	No
Operating Temperature	32° to 104°F (0° to 40°C)
Warranty	2 years
Power Supply	12 VDC, 5.0 A
Quick-Connect Compatibility	No

## Resources

## Commonly Purchased With This Item



ProductionVIEW HD MV  
 (/en/products/vaddio/control/productionview\_hd\_mv)  
 Product Series Item



ProductionVIEW HD-SDI MV  
 (/en/products/vaddio/control/productionview\_hd-sdi\_mv)  
 Product Series Item