

# SPECIFICATIONS

- DISPLAY

---

**Display Size (in.):** 27  
**Viewable Area (in.):** 27  
**Panel Type:** IPS Technology  
**Resolution:** 1920 x 1080  
**Resolution Type:** FHD  
**Static Contrast Ratio:** 1,000:1 (typ)  
**Dynamic Contrast Ratio:** 80M:1  
**Light Source:** LED  
**Brightness:** 250 cd/m2 (typ)  
**Colours:** 16.7M  
**Colour Space Support:** 8 bit (6 bit + Hi-FRC)  
**Aspect Ratio:** 16:9  
**Response Time (Typical GTG):** 1ms  
**Viewing Angles:** 178° horizontal, 178° vertical  
**Backlight Life (Hours):** 30000 Hrs (Min)  
**Curvature:** Flat  
**Refresh Rate (Hz):** 144  
**Adaptive Sync:** FreeSync  
**Blue Light Filter:** Yes  
**Flicker-Free:** Yes  
**Colour Gamut:** NTSC: 72% size (Typ)  
sRGB: 104% size (Typ)  
**Pixel Size:** 0.311 mm (H) x 0.311 mm (V)  
**Surface Treatment:** Anti-Glare, Hard Coating (3H)

---

- COMPATIBILITY

---

**PC Resolution (max):** 1920x1080  
**Mac® Resolution (max):** 1920x1080  
**PC Operating System:** Windows 10 certified; macOS tested  
**Mac® Resolution (min):** 1920x1080

---

- CONNECTOR

---

**3.5mm Audio Out:** 1  
**HDMI 1.4:** 2  
**Display Port:** 1  
**Power in:** 3-pin Socket (IEC C14 / CEE22)

---

- AUDIO

---

**Internal Speakers:** 2Watts x2

---

- POWER

---

**Eco Mode (Conserve):** 19W  
**Eco Mode (Optimised):** 23W  
**Consumption (typical):** 26W  
**Consumption (max):** 32W  
**Voltage:** AC 100-240V, 50/60 Hz  
**Stand-by:** 0.5W  
**Power Supply:** Internal

---

- ADDITIONAL HARDWARE

---

**Kensington Lock Slot:** 1  
**Cable Organisation:** Yes

---

- CONTROLS

---

**Physical Controls:** Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)  
**On Screen Display:** Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

---

- OPERATING CONDITIONS

---

**Temperature:** 32°F to 104°F (0°C to 40°C)  
**Humidity (non-condensing):** 20% to 90%

---

- WALL MOUNT

---

**VESA Compatible:** 100 x 100 mm

---

- INPUT SIGNAL

---

**Frequency Horizontal:** 30 ~ 180KHz  
**Frequency Vertical:** 47 ~ 144Hz

---

## • VIDEO INPUT

---

**Digital Sync:** TMDS - HDMI (v1.4), PCI-E - DisplayPort (v1.2)

---

## • ERGONOMICS

---

**Height Adjust (mm):** 120  
**Swivel:** 90°  
**Tilt (Forward/Back):** -5° / 20°  
**Pivot (Right/Left):** 90° / 0°

---

## • WEIGHT (METRIC)

---

**Net (kg):** 7.5  
**Net Without Stand (kg):** 4.2  
**Gross (kg):** 9.3

---

## • DIMENSIONS (METRIC) (WXHxD)

---

**Packaging (mm):** 738 x 448 x 191  
**Physical (mm):** 612 x 433.9~542.32 x 239  
**Physical Without Stand (mm):** 612 x 367 x 49

---

## • GENERAL

---

**Regulations:** cTUVus, FCC-B, ICES003, Energy Star 8.0, MX-CoC, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, BSMI, VCCI, PSE, KC, e-Standby, CCC, China RoHS, China Energy Label

**PACKAGE CONTENTS:** XG2705 x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v1.4; Male-Male) x1, Quick Start Guide x1

**Recycle/Disposal:** Please dispose of in accordance with local, state or federal laws.

**Warranty:** \*Warranty offered may differ from market to market

**Country Of Origin:** China

---